

```
<HTML>
<HEAD>
<SCRIPT>
```

```
function select_proxy() {
  for(var i=0; i<document.f.proxy_type.length; i++) {
    if (document.f.proxy_type.options[i].value == window.opener.top.proxy_type) {
      document.f.proxy_type.options[i].selected=1;
    }
  }
}
```

```
function write_url_input() { document.write("<INPUT SIZE=40 NAME=URL VALUE=\"\" +
opener.top.urlroot + \"\">"); }
function write_preroll_input() {document.write("<INPUT  SIZE=5  NAME=PREROLL
VALUE=\"\" + opener.top.preroll + \"\">"); }
```

```
function setvalues()
{
  window.opener.top.urlroot = document.f.URL.value;
  window.opener.top.preroll = parseInt(document.f.PREROLL.value);
  window.opener.top.proxy_type =
document.f.proxy_type.options[document.f.proxy_type.selectedIndex].value;
  window.opener.top.frames[0].top.location = "video_" + window.opener.top.proxy_type +
".html"
  if (isNaN(window.opener.top.preroll)) window.opener.top.preroll=0;
  window.close();
}
```

```
</SCRIPT>
```

```
</HEAD>
```

```
<BODY BGCOLOR=000066 onLoad=select_proxy(>
```

```
<CENTER>
```

```
<FORM NAME=f>
```

```
<TABLE BORDER=1 BGCOLOR=FFFFFF>
```

```
<TR>
```

```
<TH WIDTH=20% BGCOLOR=6666AA><FONT FACE="Arial" COLOR=FFFFFF SIZE=-1>URL</FONT></TH><TD><SCRIPT>write_url_input();</SCRIPT></TD>
```

```
</TR>
```

```
<TR>
```

```
<TH BGCOLOR=6666AA><FONT FACE="Arial" COLOR=FFFFFF SIZE=-1>Preroll</FONT></TH><TD><SCRIPT>write_preroll_input();</SCRIPT></TD>
```

```
</TR>
```

```
<TR>
```

```
<TH BGCOLOR=6666AA><FONT FACE="Arial" COLOR=FFFFFF SIZE=-1>Proxy
Type</FONT></TH>
```

```

<TD>
  <SELECT NAME=proxy_type>
    <OPTION VALUE="real">RealNetworks RealVideo
    <OPTION VALUE="netshow">Microsoft Netshow
    <OPTION VALUE="mbase">SGI Mediabase
    <OPTION VALUE="ovs">Oracle Video Server 3.0
    <OPTION VALUE="noproxy">No Proxy
  </SELECT>
</TD>
</TR>
</TABLE>
<INPUT VALUE="Modify Values" TYPE=SUBMIT onClick="javascript:setvalues()">
<P>
<TABLE WIDTH=100% BORDER=1 BGCOLOR=FFFFFF>
<TR>
<TH BGCOLOR=6666AA><FONT SIZE=-1 COLOR=FFFFFF
FACE="Arial">Slug</FONT></TH>
<TD><FONT SIZE=-1 COLOR=000000 FACE="Arial">video2</FONT></TD>
</TR>
<TR>
<TH BGCOLOR=6666AA><FONT SIZE=-1 COLOR=FFFFFF
FACE="Arial">Description</FONT></TH>
<TD><FONT SIZE=-1 COLOR=000000 FACE="Arial">Hong Kong</FONT></TD>
</TR>
<TR>
<TH BGCOLOR=6666AA><FONT SIZE=-1 COLOR=FFFFFF FACE="Arial">Tape
ID</FONT></TH>
<TD><FONT SIZE=-1 COLOR=000000 FACE="Arial">1234</FONT></TD>
</TR>
<TR>
<TH BGCOLOR=6666AA><FONT SIZE=-1 COLOR=FFFFFF FACE="Arial">Log
Date</FONT></TH>
<TD><FONT SIZE=-1 COLOR=000000 FACE="Arial">06-18-1998</FONT></TD>
</TR>
<TR>
<TH BGCOLOR=6666AA><FONT SIZE=-1 COLOR=FFFFFF
FACE="Arial">Logger</FONT></TH>
<TD><FONT SIZE=-1 COLOR=000000 FACE="Arial">279</FONT></TD>
</TR>
</TABLE>
</CENTER>
</FORM>
</BODY>
</HTML>

```

|              |                                      |
|--------------|--------------------------------------|
| URL          | ppm://realserver/content/hongkong.rm |
| Preroll      | 0                                    |
| Proxy Type   | RealNetworks RealVideo               |
| Marsh/Mallor |                                      |
| Slug         | video2                               |
| Description  | Hong Kong                            |
| Tape ID      | 1234                                 |
| Log Date     | 06-18-1998                           |
| Logger       | 279                                  |